Journal of Biochemical and Biophysical Methods, 26 (1993) 351–353

© 1993 Elsevier Science Publishers B.V. All rights reserved 0165-022X/93/$06.00

Author Index

Abukhalaf, I.K. and Masaracchia, R.A.
Protein phosphatase assay using a modification of the P81 paper protein kinase assay procedure (26) 95
Albani, J.
A study of the interaction between two proteins, one containing a flavin mononucleotide (26) 105
Alemany, M., see Fernández-López, J.A. (26) 291

Balchytis, G.A., see Silin, V.I. (26) 71
Berger, R.L., see Mudd, C.P. (26) 149

Cameron, I.L., see Fullerton, G.D. (26) 299
Cameron, I.L., see Zimmerman, R.J. (26) 61
Camici, M., see Cappiello, M. (26) 335
Cappiello, M., Del Corso, A., Camici, M. and Mura, U.
Thiol and disulfide determination by free zone capillary electrophoresis (26) 335
Chao, H., see Zimmerman, R.J. (26) 61
Chattopadhyaya, J., see Földesi, A. (26) 1
Chattopadhyaya, J., see Maltseva, T. (26) 173
Chattopadhyaya, J., see Plavec, J. (26) 317

Daniel, R.M., see Prescott, M. (26) 51
Del Corso, A., see Cappiello, M. (26) 335
Díaz, F.G., López Cascales, J.J. and García de la Torre, J.
Bead-model calculation of scattering diagrams: Brownian dynamics study of flexibility in immunoglobulin IgG1 (26) 261
D'Souza, S.F., see Marolia, K.Z. (26) 143
Dunér, K.I.
A new kinetic single-stage Limulus amoebocyte lysate method for the detection of endotoxin in water and plasma (26) 131

Endo, M., see Tanaka, A. (26) 309
Eriksson, K.-O., see Mohammad, J. (26) 41
Evans, B.R., see Woodward, J. (26) 121

Fabre-Buet, V., see Plavec, J. (26) 317
Fernández-López, J.A., Latres, E., Remesar, X. and Alemany, M.
A radio-enzymatic method for the estimation of L-leucine-specific radioactivity (26) 291
Fibla, J. and Gonzàlez-Duarte, R.
Colorimetric assay to determine alcohol dehydrogenase activity (26) 87
Floyd, L.J., see Fullerton, G.D. (26) 299
Földesi, A., Nilson, F.P.R., Glemarec, C., Gioeli, C. and Chattopadhyaya, J.
NMR spectroscopic properties (^{1}H at 500 MHz) of deuterated ribonucleotide-dimers ApU, GpC, partially deuterated 2′-deoxyribonucleotide-dimers d(TpA), d(ApT), d(GpC) and their comparison with natural counterparts (^{1}H-NMR window) (26) 1
Fullerton, G.D., Zimmerman, R.J., Kanal, K.M., Floyd, L.J. and Cameron, I.L.
Method to improve the accuracy of membrane osmometry measures of protein molecular weight (26) 299
Fullerton, G.D., see Zimmerman, R.J. (26) 61

García de la Torre, J., see Díaz, F.G. (26) 261
Garnett, H.M., see Lee, L.S. (26) 249
Gershfeld, N.L., see Mudd, C.P. (26) 149
Gioeli, C., see Földesi, A. (26) 1
Glemarec, C., see Földesi, A. (26) 1
Gonzàlez-Duarte, R., see Fibla, J. (26) 87
Grouiller, A., see Plavec, J. (26) 317

Hemmilä, I., Mukkala, V.-M., Latva, M. and Kiilholma, P.
Di- and tetracarboxylate derivatives of pyridines, bipyridines and terpyridines as luminogenic reagents for time-resolved fluorometric determination of terbium and dysprosium (26) 283
Herrmann, P.C., see Woodward, J. (26) 121
Hilbink, F., see Kittelberger, R. (26) 81

Hodny, Z. and Syrovy, I.
The interference of cysteine thiols in the detection of glycated and non-glycated proteins by modified silver staining after sodium dodecyl sulfate-polyacrylamide gel electrophoresis (26) 273
Hreniuk, D., see Ross, J. (26) 343

Inouye, K. and Morimoto, K.
Single-step purification of $F(ab')_{2\mu}$ fragments of mouse monoclonal antibodies (immunoglobulins M) by hydrophobic interaction high-performance liquid chromatography using TSKgel Ether-5PW (26) 27
Ivanova, I.M., see Maltseva, T. (26) 173

Janero, D.R., see Ross, J. (26) 343
Johansson, G., see Mohammad, J. (26) 41

Kachar, B., see Urrutia, R. (26) 113
Kanal, K.M., see Fullerton, G.D. (26) 299
Kiilholma, P., see Hemmilä, I. (26) 283
Kittelberger, R. and Hilbink, F.
Sensitive silver-staining detection of bacterial lipopolysaccharides in polyacrylamide gels (26) 81
Kulys, J.J., see Silin, V.I. (26) 71

Latres, E., see Fernández-López, J.A. (26) 291
Latva, M., see Hemmilä, I. (26) 283
Lee, L.S. and Garnett, H.M.
Estimation of total DNA in crude extracts of plant leaf tissue using 4′,6-diamidino-2-phenylindole (DAPI) fluorometry (26) 249
López Cascales, J.J., see Díaz, F.G. (26) 261

Maltseva, T., Sandström, A., Ivanova, I.M., Sergeyev, D.S., Zarytova, V.F. and Chattopadhyaya, J.
Structural studies of the 5′-phenaziniumtethered matched and G-A-mismatched DNA duplexes by NMR spectroscopy (26) 173
Marolia, K.Z. and D'Souza, S.F.
A simple technique for the immobilization of lysozyme by cross-linking of hen egg white foam (26) 143
Marshall, T. and Williams, K.M.
Bradford protein assay and the transition from an insoluble to a soluble dye complex: effects of sodium dodecyl sulphate and other additives (26) 237
Masaracchia, R.A., see Abukhalaf, I.K. (26) 95
McNiven, M.A., see Urrutia, R. (26) 113
Mohammad, J., Eriksson, K.-O. and Johansson, G.
Real-time kinetic analysis of limited proteolysis by ion-exchange chromatography using compressed, non-porous agarose beads (26) 41
Morikawa, A., see Tanaka, A. (26) 309
Morimoto, K., see Inouye, K. (26) 27
Mudd, C.P., Gershfeld, N.L., Berger, R.L. and Tajima, K.
A differential heat-conduction microcalorimeter for heat-capacity measurements of fluids (26) 149
Mukkala, V.-M., see Hemmilä, I. (26) 283
Mura, U., see Cappiello, M. (26) 335

Nakamura, T., see Tanaka, A. (26) 309
Nilson, F.P.R., see Földesi, A. (26) 1

Peek, K., see Prescott, M. (26) 51
Plavec, J., Fabre-Buet, V., Uteza, V., Grouiller, A. and Chattopadhyaya, J.
Conformational studies on some *C1′*-branched β-D-nucleosides by ^{1}H-NMR spectroscopy and molecular mechanics calculations (26) 317
Prescott, M., Peek, K., Veitch, D.P. and Daniel, R.M.
The use of phenyl-Sepharose for the affinity purification of proteinases (26) 51

Remesar, X., see Fernández-López, J.A. (26) 291
Ross, J., Janero, D.R., Hreniuk, D. and Wennogle, L.P.
Radioiodination of transforming growth factor-β (TGF-β) in a modified Bolton-Hunter reaction system (26) 343

Saito, Y., see Tanaka, A. (26) 309
Sandström, A., see Maltseva, T. (26) 173
Sergeyev, D.S., see Maltseva, T. (26) 173
Silin, V.I., Balchytis, G.A. and Kulys, J.J.
The application of polystyrene waveguides to protein adsorption investigations (26) 71
Syrovy, I., see Hodny, Z. (26) 273

Tajima, K., see Mudd, C.P. (26) 149
Takagaki, K., see Tanaka, A. (26) 309
Tamura, S., see Tanaka, A. (26) 309
Tanaka, A., Morikawa, A., Saito, Y., Tamura, S., Nakamura, T., Takagaki, K. and Endo, M.

Simple measurement of glycosaminoglycan produced by cultured fibroblasts using 4-methylumbelliferyl β-D-xyloside (26) 309
Tate, J., see Woodward, J. (26) 121

Urrutia, R., McNiven, M.A. and Kachar, B.
Synthesis of RNA probes by the direct in vitro transcription of PCR-generated DNA templates (26) 113
Uteza, V., see Plavec, J. (26) 317

Veitch, D.P., see Prescott, M. (26) 51

Wennogle, L.P., see Ross, J. (26) 343
Williams, K.M., see Marshall, T. (26) 237
Woodward, J., Tate, J., Herrmann, P.C. and Evans, B.R.
Comparison of Ellman's reagent with *N*-(1-pyrenyl)maleimide for the determination of free sulfhydryl groups in reduced cellobiohydrolase I from *Trichoderma reesei* (26) 121

Zarytova, V.F., see Maltseva, T. (26) 173
Zimmerman, R.J., Chao, H., Fullerton, G.D. and Cameron, I.L.
Solute/solvent interaction corrections account for non-ideal freezing point depression (26) 61
Zimmerman, R.J., see Fullerton, G.D. (26) 299

Journal of Biochemical and Biophysical Methods, 26 (1993) 355–356

© 1993 Elsevier Science Publishers B.V. All rights reserved 0165-022X/93/$06.00

Subject Index

Alcohol dehydrogenase activity, (26) 87
Aminoacyl-tRNA synthetase, (26) 291
Antisense oligonucleotide, (26) 173

Bolton-Hunter reagent, (26) 343
Bradford protein assay, (26) 237
Brucella ovis, (26) 81

Capillary electrophoresis, (26) 335
Cellobiohydrolase I, (26) 121
Cellulase, (26) 41
Colorimetric assay, (26) 87
Conformation, North, (26) 317
Conformation, South, (26) 317
Conjugation iodination, (26) 343
Coomassie blue-protein dye complex, (26) 237
Cross-linking, (26) 143
Crude plant extract, (26) 249
Cyst(e)amine, (26) 335
Cyst(e)ine, (26) 335

DAPI, (26) 249
Deuterated 2′-deoxyribonucleotide dimer, (26) 1
Deuterated ribonucleotide dimer, (26) 1
Disulfide, (26) 335
DNA duplex, (26) 173
DNA quantitation, (26) 249
Dysprosium, (26) 283

Ellman's reagent, (26) 121
Endotoxin, (26) 131
Enzyme analysis, (26) 95
Escherichia coli, (26) 81

$F(ab')_2$ fragment, (26) 27
$F(ab')_{2\mu}$ fragment, (26) 27
Flavinmononucleotide, (26) 105
Flavocytochrome b_2–cytochrome c interaction, (26) 105
Fluorometric determination, (26) 283
Fluorometry, (26) 249
Freezing-point depression, (26) 61

Glutaraldehyde, (26) 143
Glutathione, (26) 335
Glycosaminoglycan, (26) 309

Heat-capacity temperature dependence, (26) 149
Heat-conduction calorimeter, (26) 149
Hen egg white, (26) 143
Hybridization, (26) 113
Hydration water, (26) 61
Hydrophobic interaction HPLC, (26) 27

IgM fragmentation, (26) 27
Immobilization, (26) 143
Immunoglobulin M, (26) 27
In vitro transcription, (26) 113
Ion exchange, (26) 41

Kinesin, (26) 113
Kinetic chromogenic method, (26) 131
Kinetic method, (26) 71

L-Leucine, (26) 291
Limulus, (26) 131
Lipopolysaccharide, (26) 81
Lysozyme, (26) 143

Measurement method, (26) 299
4-Methylumbelliferyl-β-D-xyloside, (26) 309
Microtiter plate, (26) 87
Molecular mechanics, (26) 317
Molecular weight, (26) 299
Monoclonal antibody, (26) 27
Multilamellar-unilamellar transformation, (26) 149

^{1}H-NMR, (26) 173
^{1}H-NMR spectroscopy, (26) 1
$_1$H-NMR spectroscopy, (26) 317
Non-porous beads, (26) 41
N-(1-pyrenyl)maleimide, (26) 121

Osmometry, (26) 299

PEG, (26) 61
Pepsin digestion, (26) 27
Peptide dephosphorylation, (26) 95
Peptide phosphorylation, (26) 95
Phanerochaete chrysosporium, (26) 41
5′-Phenazinium, (26) 173
Phospholipid, (26) 149
Phosphoprotein phosphatase, (26) 95
Polarization, (26) 105
Polyacrylamide gel electrophoresis, (26) 81
Polyethylene glycol, (26) 61
Polymerase chain reaction, (26) 113
Polystyrene waveguide, (26) 71
Porous support, (26) 143
Protein, (26) 299
Protein adsorption, (26) 71
Proteinase, (26) 51
Protein phosphatase, (26) 95
Proteoglycan, (26) 309
Proteolysis kinetics, (26) 41
Purification, (26) 51

tRNA, (26) 291
RNA probe, (26) 113

Salmonella typhimurium, (26) 81
phenyl-Sepharose, (26) 51
Silver staining, (26) 81
Single-step purification, (26) 27
Solubility, (26) 237
Specific radioactivity, (26) 291
Sulfhydryl determination, (26) 121

Terbium, (26) 283
Thermal modeling, (26) 149
Thiol, (26) 335
Time-resolved fluorometry, (26) 283
TNS, (26) 105
Transforming growth factor-β, (26) 343
Trichoderma reesei, (26) 41

Waveguide optic, (26) 71